

STURDIFIX®

FASTENERS & FIXINGS

Singhania International Limited

C-25, Phase-1, Focal Point, Ludhiana - 141010, Punjab, +91-161-4611418, 4606917

www.singhaniainternational.com | www.singhaniawires.com

Self Drilling Screw & Drywall Screw Price List from April 2018

S.No.	Size	Alt. Size	CODE	Qty (Pcs/Box)	Boxes / Carton	Qty (Pcs/ Carton)	Weights (Kgs/1000pcs)	Price/pc (Rs.)
SELF DRILLING SCREW								
Hex Head Self Drilling Screws - With EPDM Washer								
1	4.8 X 20mm	#10 X 20	SI06001	1000	6	6000	4.04	0.76
2	4.8 X 25mm	#10 X 25	SI06002	600	6	3600	4.54	0.83
3	6.3 X 25mm	#14 X 25	SI06003	500	6	3000	7.16	1.37
Hex Flange Head Self Drilling Screws - With Washer								
1	5.5 X 25mm	#12 X 25	SI06501	600	6	3600	5.18	1.02
2	5.5 X 35mm	#12 X 35	SI06502	500	6	3000	6.34	1.19
3	5.5 X 45mm	#12 X 45	SI06503	450	6	2700	7.58	1.38
4	5.5 X 55mm	#12 X 55	SI06504	350	6	2100	8.88	1.64
5	5.5 X 68mm	#12 X 68	SI06505	300	6	1800	10.54	1.94
6	5.5 X 75mm	#12 X 75	SI06506	250	6	1500	10.87	2.24
7	5.5 X 100mm	#12 X 100	SI06507	200	6	1200	13.99	2.68
CSK/Flat Head Self Drilling Screw								
S.No.	Size	Alt. Size		Qty (Pcs/Box)	Boxes / Carton	Qty (Pcs/ Carton)	Weights (Kgs/1000pcs)	Price/1000pc (Rs.)
1	3.5x13		SI07001			24000		192
2	3.5x16		SI07002			24000		214
3	3.5x19		SI07003			24000		244
4	3.5x25		SI07004			16000		263
5	3.5x32		SI07005			16000		322
6	3.9x16		SI07006			24000		226
7	3.9x19		SI07007			24000		263
8	3.9x25		SI07008			16000		286
9	3.9x32		SI07009			16000		358
10	4.2x16		SI07010			12000		244
11	4.2x19		SI07011			12000		286
12	4.2x25		SI07012			12000		316
13	4.2x32		SI07013			12000		393
14	4.2x38		SI07014			8000		524
15	4.2x50		SI07015			6000		572
PAN Head Self Drilling Screw								
1	3.5x19		SI08001			12000		269
2	3.5x25		SI08002			12000		298
3	4.2x13		SI08003			16000		292
4	4.2x19		SI08004			12000		351
5	4.2x25		SI08005			12000		417
6	4.2x32		SI08006			12000		489
7								
Truss Head Self Drilling Screw								
1	4.2x13		SI08501			20000		292
2	4.2x19		SI08502			8000		351
3	4.2x25		SI08503			12000		417
4	4.2x32		SI08504			8000		495
5	4.2x38		SI08505			8000		554
Drywall Screw - Philips Drive - Bugle Head - Black Phosphated								
1	3.5 X 16mm	#6 X 16	SI09001	1000	24	24000	0.91	152
2	3.5 X 19mm	#6 X 19	SI09002	1000	24	24000	1.02	167
	3.5 X 19mm	#6 X 19	SI09003	1000	20	20000	1.02	167
3	3.5 X 25mm	#6 X 25	SI09004	1000	16	16000	1.25	196
4	3.5 X 32mm	#6 X 32	SI09005	1000	12	12000	1.52	244
	3.5 X 32mm	#6 X 32	SI09006	1000	16	16000	1.52	244
5	3.5 X 38mm	#6 X 38	SI09007	500	16	8000	1.78	313
	3.5 X 38mm	#6 X 38	SI09008	500	12	6000	1.78	313
6	3.5 X 50mm	#6 X 50	SI09009	500	12	6000	2.50	385
7	3.5 X 60mm	#6 X 60	SI09010					489
8	3.5 X 75mm	#6 X 75	SI09011	250	16	4000	3.80	668
9	4.2 X 25mm	#8 X 25	SI09012	500	18	9000	1.61	274
10	4.2 X 32mm	#8 X 32	SI09013	500	18	9000	1.77	298
11	4.2 X 38mm	#8 X 38	SI09014	500	12	6000	2.24	382
12	4.2 X 100mm	#8 X 100	SI09015				5.8	1073

GST @ 18% extra

STURDIFIX®

FASTENERS & FIXINGS

Singhania International Limited

C-25, Phase-1, Focal Point, Ludhiana - 141010, Punjab, +91-161-4611418, 4606917

www.singhaniainternational.com | www.singhaniawires.com

Anchor Fasteners Price List from April 2018

S.No.	Size	CODE	Pcs/Box	Boxes/Carton	Pcs/Carton	Weight (Kgs/1000pcs)	Price/pc (Rs.)
Wedge Anchor (Through Bolt) - With Nut & Washer - WZP							
1	8 x 75	SI04001	100	8	800	30.85	3.72
2	8 x 100	SI04002	90	8	720	38.47	4.74
3	8 x 120	SI04003	80	8	640	44.57	5.82
4	10 x 75	SI04004	75	8	600	50.74	6.06
5	10 x 100	SI04005	60	8	480	62.79	7.44
6	10x 120	SI04006	50	8	400		8.46
7	10 x 125	SI04007	50	8	400	74.84	8.46
8	10 x 150	SI04008	45	8	360	86.9	10.08
9	10 x 200	SI04009	60	4	240	111.01	15.12
10	12 x 75	SI04010	45	8	360	75.6	8.64
11	12 x 100	SI04011	40	8	320	89.83	9.60
	12 x 100	SI04012			250		9.60
12	12 x 120	SI04013	30	8	240		12.00
	12 x 120	SI04014			250		12.00
13	12 x 125	SI04015	30	8	240	110.66	12.00
14	12 x 150	SI04016	30	8	240	128.19	14.22
15	12 x 200	SI04017	45	4	180	163.24	18.12
16	16 x 100	SI04018	20	8	160	173.83	18.96
17	16x120	SI04032			160		21.72
18	16 x 125	SI04019	20	8	160	206.48	21.72
19	16 x 150	SI04020	15	8	120	239.14	25.50
20	16 x 200	SI04021	25	4	100	304.45	34.20
21	16 x 250	SI04022	20	4	80	369.76	42.00
22	16 x 300	SI04024	15	4	60	434.26	51.00
23	20 x 150	SI04023	10	8	80	376.02	39.72
24	20 x 200	SI04025	15	4	60	478.21	50.04
25	20 x 250	SI04026	13	4	52	580.40	65.04
26	20 x 300	SI04027	10	4	40	684.19	96.12
27	24 x 150	SI04028	8	8	64	608.84	87.24
28	24 x 200	SI04029	8	4	32	780.15	114.00
29	24 x 250	SI04030	7	4	28	957.85	138.00
30	24 x 300	SI04031	6	4	24	1135.54	150.00
Nylon Frame Fixing Anchors							
1	8 x 60	SI04601	100	20	2000		
2	8 x 80	SI04602	100	18	1800		
3	8 x 100	SI04603	100	15	1500		
4	8 x 120	SI04604	100	12	1200		
5	10 x 80	SI04605	100	10	1000		
6	10 x 100	SI04606	100	9	900		
7	10 x 120	SI04607	100	9	900		
8	10 x 140	SI04608	100	9	900		
9	10 x 160	SI04609	100	7	700		
Drop In Anchors (White Zinc Plated)							
1	M6	SI04701	200	16	3200	5.80	1.48
2	M8	SI04702	100	20	2000	8.00	1.77
3	M10	SI04703	100	12	1200	16.70	3.07
4	M12	SI04704	100	8	800	42.00	7.65
5	M16	SI04705	100	4	400	85.00	15.13
GST @18% extra							

STURDIFIX®

FASTENERS & FIXINGS

Singhania International Limited

C-25, Phase-1, Focal Point, Ludhiana - 141010, Punjab, +91-161-4611418, 4606917
www.singhaniainternational.com | www.singhaniawires.com

Fasteners Price List from April 2018

SR	Size	CODE	Pitch	Across Flat	Height	Qty (Pcs/ Carton)	Price	SR	Size	CODE	Pitch	Across Flat	Height	Qty (Pcs/ Carton)	Price
DIN 982 - WZP (Nylock Nut)								DIN 985 - WZP (Nylock Nut)							
1	M3	SI00001	0.6	5.45	4	60000	0.21	1	M3	SI00251	0.5	5.45	4	60000	0.20
2	M4	SI00002	0.7	6.85	4.9	30000	0.22	2	M4	SI00252	0.7	6.85	4.9	30000	0.22
3	M4	SI00003	0.8				0.22	3	M5	SI00253	0.8	7.9	4.85	25000	0.24
4	M5	SI00004	0.8	7.8	6.1	20000	0.27	4	M6	SI00254	1	9.8	5.85	12500	0.32
5	M6	SI00005	1	9.8	8	9000	0.41	5	M8	SI00255	1.25	12.8	7.8	5500	0.62
	M6	SI00031	1	9.8	8	8500	0.41	6	M10	SI00256	1.25	16.8	9.8	2500	1.37
6	M8	SI00006	1	12.8	9.15	4500	0.78	7	M10	SI00257	1.5	16.8	9.8	2500	1.35
7	M8	SI00007	1.25	12.8	9.15	4500	0.74	8	M12	SI00258	1.25	18.7	11.7	1700	2.00
	M8	SI00008	1.25	12.8	9.15	4400	0.74	9	M12	SI00259	1.5	18.7	11.7	1700	1.98
8	M10	SI00009	1	16.75	11.15	2000	1.65		M12	SI00276	1.5	18.7	11.7	1500	1.98
9	M10	SI00010	1.25	16.75	11.15	2000	1.62	10	M12	SI00260	1.75	18.7	11.7	1700	1.97
10	M10	SI00011	1.5	16.75	11.15	2000	1.61		M12	SI00261	1.75	18.7	11.7	1500	1.97
11	M12	SI00012	1.25	18.8	13.8	1400	2.50	11	M14	SI00262	1.5	21.7	13.75	1100	3.22
12	M12	SI00013	1.5	18.8	13.8	1400	2.47	12	M14	SI00263	2	21.7	13.75	1100	3.20
13	M12	SI00014	1.75	18.8	13.8	1400	2.46	13	M16	SI00264	1.5	24	15.7	850	4.14
	M12	SI00015	1.75	18.8	13.8	1300	2.46	14	M16	SI00265	2	24	15.7	850	4.12
14	M14	SI00016	1.5	21.7	15.7	900	3.70		M16	SI00275	2	24	15.7	800	4.12
15	M14	SI00017	2	21.7	15.7	900	3.67	15	M18	SI00266	2.5			550	6.65
16	M16	SI00018	1.5	23.75	17.7	700	4.87	16	M20	SI00267	1.5	29.65	19.75	400	8.47
17	M16	SI00019	2	23.75	17.7	700	4.85	17	M20	SI00268	2.5	29.65	19.75	400	8.42
18	M18	SI00020	1.5			500	7.65	18	M22	SI00269	3			350	12.36
19	M18	SI00021	2.5			500	7.59	19	M24	SI00270	3	35.65	23	240	16.30
20	M20	SI00022	1.5	29.65	21.15	350	9.83	20	M27	SI00271	3.5			160	26.48
21	M20	SI00023	2.5	29.65	21.15	350	9.75	21	M27	SI00272	3			160	26.48
	M20	SI00031	2.5	29.65	21.15	400	9.75	22	M30	SI00273	2	45.25	30	120	36.72
22	M22	SI00024	3	35.65		200	17.80	23	M30	SI00274	3.5	45.25	30	120	36.49
23	M24	SI00025	3	35.65		200	20.30								
Inch Size Nylock Nuts															
ANSI Standard								BS Standard							
1	3/16 UNC	SI00501		7.85	6.1	20000	0.29	1	3/16 BSW	SI00701		7.85	6.1	20000	0.29
2	10# UNC	SI00502		9.4	6.2	11000	0.43	2	1/4 BSW	SI00702		11	7.7	7000	0.55
3	1/4 UNC	SI00503		11	7.7	7000	0.55		1/4 BSW	SI00703		11	7.7	7200	0.55
4	5/16 UNC	SI00504		12.5	8.65	5000	0.72	3	5/16 BSW	SI00704		12.5	8.65	5000	0.72
5	3/8 UNC	SI00505		14	11.3	3000	1.15	4	3/8 BSW	SI00705		14	11.3	3100	1.17
6	7/16 UNC	SI00506		16	11.3	2700	1.45	5	1/2 BSW	SI00706		20.5	14	1100	3.31
	7/16 UNC	SI00507		16	11.3	2500	1.45	6	5/8 BSW	SI00707		25.2	16	650	6.05
7	1/2 UNC	SI00508		19	15	1300	2.64	7	3/4 BSW	SI00708		29.7	18.45	450	8.90
8	9/16 UNC	SI00509		21.7	16.3	800	4.24	8	3/8 BSF	SI00801		15	12.5	2500	1.58
9	5/8 UNC	SI00510		24	19	650	5.72	9	1/2 BSF	SI00802		20.5	17	900	3.86
10	3/4 UNC	SI00511		26.7	22	450	8.34	10	7/16 BSF	SI00803				1300	2.38
11	7/8 UNC	SI00512				300	14.54								
12	1 UNC	SI00513		36	26	200	20.48								
13	1/4 UNF	SI00601		11	7.7	7000	0.55								
14	5/16 UNF	SI00602		12.5	8.65	5000	0.72								
15	3/8 UNF	SI00603		14	11.3	3000	1.17								
16	7/16 UNF	SI00604		16	11.3	2700	1.46								
	7/16 UNF	SI00611		16	11.3	2500	1.46								
17	1/2 UNF	SI00605		19	15	1300	2.65								
18	9/16 UNF	SI00606		21.7	16.3	800	4.26								
19	5/8 UNF	SI00607		24	19	650	5.74								
20	3/4 UNF	SI00608		26.7	22	450	8.37								
21	7/8 UNF	SI00609				300	14.59								
22	1 UNF	SI00610		36	26	200	20.60								
SS304 (A2-70) Nylock Nuts - DIN 982															
1	M5	SI00026	0.8	7.8	6.1	18000	0.89	4	M10	SI00029	1.5	16.75	11.15	2100	4.53
2	M6	SI00027	1	9.8	8	8500	1.27	5	M12	SI00030	1.75	18.8	13.8	1200	6.98
3	M8	SI00028	1.25	12.8	9.15	4400	2.16	6	M16		2				
								7	M20		2.5				

GST @18% extra

STURDIFIX®

FASTENERS & FIXINGS

Singhania International Limited

C-25, Phase-1, Focal Point, Ludhiana - 141010, Punjab, +91-161-4611418, 4606917
www.singhaniainternational.com | www.singhaniawires.com

Fasteners Price List from April 2018

SR	Size	CODE	Pitch	Across Flat	Height	Weight	Qty (Pcs/ Carton)	Price
Flange Nuts - Inch Series								
1	3/16 UNC	SI1301					Plain	0.297
2	5/32 UNC	SI1302					Plain	0.273
3	5/16 BSW	SI1401					Plain	0.569
DIN 6923 - Flange Nut (Indian)								
1	M4 Plain	SI01108	0.7					0.285
2	M4.5 Plain							0.332
3	M5 PLAIN GP	SI01109	0.8		5	42.91	25000	0.316
4	M5 PLAIN GNG	SI01111	0.8		5			0.326
5	M6 Plain	SI01112	1	10	6	44.5	15000	0.386
6	M6 - Small Plain	SI01113	1					0.308
7	M8 Plain	SI01114	1.25	13	8	52.91	8000	0.761
8	M8 - Small Plain	SI01115	1.25	12	7.5			0.653
9	M6 Plain	SI01116	1	10	6	44.5	8500	0.386
DIN 6923 - Flange Nut YZP (Imported)								
1	M3	SI01101						
2	M4	SI01102	0.7	6.7	4.4		21000	0.290
3	M5	SI01103	0.8	7.7	4.9		15000	0.340
4	M6	SI01104	1	9.8	5.6	25Kg	9650	0.420
5	M6	SI01105	1	9.8	5.6	25Kg	9700	0.420
6	M8	SI01106	1.25	13	8			0.824
7	M10	SI01107	1.5	15	10		2200	1.401
Hex Nuts - Class 8 - Hardened & Tempered - Black (Old Standard)								
1	M12	SI02601	1.75	19	9.5		25Kgs	107
2	M16	SI02602	2	24	12		25Kgs	107
3	M20	SI02603	2.5	29.65	15		25Kgs	113
4	M22	SI02604	2.5	31.5	17.5		25Kgs	113
DIN 6926 - WZP - Flange Nylock Nut								
1	M6	SI01801	1	10	6		6000	0.830
2	M8	SI01802	1.25	13	8		3000	1.477
3	M10	SI01803	1.5	15	10		1800	2.298
4	M12	SI01804					1000	3.602
Hex Weld Nuts (Plain)								
1	M5		0.8					0.231
2	M6		1					0.231
3	M8		1.25					0.486
4	M10		1.5					
5	M12		1.75					1.590
Rivet Nut / Insert Nut (Flat Head) Knurled Body - ZP								
1	M3 WZP	SI03007	0.6				28000	0.553
2	M4 WZP	SI03008	0.7				21000	0.559
3	M5 WZP	SI03009	0.8				14000	0.618
4	M6 - WZP	SI03010	1				7000	0.73
5	M8 - WZP	SI03011	1.25				4000	1.29
6	M10 - WZP	SI03012	1.5				2400	1.89
7	M6 - YZP	SI03004	1				7000	0.73
8	M8 - YZP	SI03005	1.25				4000	1.29
9	M10 - YZP	SI03006	1.5				2400	1.89
Rivet Nut / Insert Nut (Reduced Head) Knurled Body - ZP								
1	M5 WZP	SI03204	0.8				16000	0.61
2	M6 - YZP	SI03202	1				8000	0.72
3	M6 - WZP	SI03205	1				8000	0.72
4	M8 - YZP	SI03203	1.25				5000	1.26
5	M8 - WZP	SI03206	1.25				5000	1.26
Rivet Nut / Flat HD Half Hex Body-ZP-White								
1	M4-WZP	SI03401					21000	0.59
2	M6-WZP	SI03402					6000	0.73
3	M8-WZP	SI03403					3500	1.27
Dome Nuts - DIN 1587 - WZP								
1	M3	SI01001	0.6					0.41
2	M4	SI01002	0.7	6.8	7.9		16000	0.42
3	M5	SI01003	0.8	7.8	10		12000	0.44
4	M6	SI01004	1	9.8	11.75		6000	0.60
5	M8	SI01005	1.25	12.8	15		2800	1.15
6	M10	SI01006	1.5	17	18		1300	2.30
7	M12	SI01007	1.5	19	21.7		850	3.44
8	M12	SI01008	1.75	19	21.7		850	3.42
9	M14	SI01009	2				600	5.64
10	M16	SI01010	2				450	6.88
11	M20	SI01011	2.5				200	14.47
12	M24	SI01012	3				150	28.47
DIN 1624 - WZP - Tee Nut (Four Prong)								
1	M5	SI01501	0.8	16.8	7.75		8000	0.64
2	M6	SI01502	1	17.6	9.9		6000	0.71
3	M8	SI01503	1.25	21.6	9.65		4000	1.01
4	M10	SI01504	1.5				3000	1.44
DIN 6927 - WZP - Steel Insert Flange Lock Nut								
1	M6	SI01901	1	10	6		5500	0.84
2	M8	SI01902	1.25	13	8		3000	1.51
Hex Nuts - (ISO4032) Class 8 - Hardened & Tempered - Black								
1	M12		1.75	18	10.5		25Kgs	
2	M16		2	24	14.6		25Kgs	
3	M20	SI02003	2.5				25Kgs	
4	M22	SI02004	2.5				25Kgs	
5	M24	SI02005	3	32.5	22		25Kgs	128.00
Hex Nuts - (ISO4032) Class 8 - 10B21-Plain								
1	M12	SI02001	1.75	18	10.5		25Kgs	102.00
2	M16	SI02002	2	24	14.6		25Kgs	102.00
3	M20		2.5				25Kgs	
4	M22		2.5				25Kgs	
5	M24		3	32.5	22		25Kgs	
DIN 6926 - WZP - IRON (FLANGE) LOCK NUT-WHITE ZINC PLATED								
1	M8	SI01805	1.25	13	8		3000	1.49
Square Weld Nuts (Plain)								
1	M5		0.8					
2	M6		1					
3	M8		1.25					0.50
4	M10		1.5					
5	M12		1.75					1.66
Wing Nut - DIN 315 - WZP								
1	M4	SI01601	0.7				8000	0.70
2	M5	SI01602	0.8				8000	0.71
3	M6	SI01603	1				6000	0.93
4	M8	SI01604	1.25				4000	1.15
5	M10	SI01605	1.5				2500	1.92
6	M12	SI01606	1.75				1600	3.30
7	M14	SI01607	2					21.57
8	M16	SI01608	2					21.36
Wing Nut - Inch Series - WZP								
1	1/4 UNC	SI01701					6000	0.95
2	5/16 UNC	SI01702					4000	1.20
3	3/8 UNC	SI01703					2500	1.97
4	1/2 UNC	SI01704					1600	3.39
5	3/16 UNC							

GST @18% extra

STURDFIX®

FASTENERS & FIXINGS

Singhania International Limited

C-25, Phase-1, Focal Point, Ludhiana - 141010, Punjab, +91-161-4611418, 4606917

www.singhaniainternational.com , www.sturdfix.com

Fasteners Price List from July 2018

DIN 912 - 12.9 Grade - Socket Head Cap Screws (Allen Bolts)

Size	M3	M4	M5	M6	M8	M10	M12	M16	M20
Length									
4	310								
5	185	190							
6	165	170	165	255					
8	155	150	165	210					
10	145	145	155	195	400				
12	145	160	160	195	430	720			
14	220	260	190	230	385	720			
16	165	165	170	205	410	720	1220		
18	235	290	265	235	455	720	1220		
20	175	190	190	240	430	690	1020		
22		305	285	280	480	805	1202		
25	205	225	215*	260	460	740	1122	3130	
30	230	245	255*	300	510	860	1180	2590	
35	280	285	300	345*	540	915	1242	2720	7543
40	315	320	320	380*	600*	975	1342	2920	7003
45	405	365	365	410*	655*	1070*	1470	3090	7162
50	455	440	400	435	720*	1165*	1600	3240	7353
55		1300	490	480	830	1245	1780	3560	7469
60	880	1380	555	555	860	1350	1852	3560	7653
65	980	1500	720	610	960	1450	1980	3840	7730
70		1660	765	620	1070	1560	2112	4060	7948
75		1830	910	750	1180	1610	2232	4220	8855
80		2280	965	870	1450	1690	2350	4650	9389
85					1530	1920	2540	4870	9920
90		2500	1290	1030	1580	1970	2700	5110	9920
95					1615	2120	2890	5480	10925
100		2600	1780	1320	1620	2120	2890	5480	10925
105					2180	2440	3250	5905	11745
110		2850	2750	2070	2180	2440	3255	5905	11745
120			3020	3050	2340	3190	3670	6410	13845
125						3390	4030	6735	13945
130			3760	3620	2965	3580	4390	7060	14410
140			4195	4750	3180	4050	4950	7400	15365
150			4970	5450	3420	4360	5830	8180	16320
160			6425	8645	4470	6510	7620	11680	18600
170			6495	9500	4970	7092	7660	12210	20290
180			7265	10440	5820	7970	8900	12920	24115
190			8020	11390	6700	8270	9070	13780	26245
200			8790	12390	8120	9660	10210	14210	29160
210							18400	32360	36650
220							22850	32360	39090
230								34040	51235
240							27540	37770	51235
250							32500	43110	61505

GST @ 18 % Extra



item are full threaded



Available in both half and full threaded

NOTE:

PLATING : ALL THE PRODUCTS, UNLESS OTHERWISE ORDERED, ARE SUPPLIED IN BLACK THERMAL FINISH WITH A COAT OF RUST PREVENTIVE OIL, NO GUARANTEE CAN BE GIVE FOR STRUDFIX PRODUCTS WHICH ARE PLATED BY USERS OR BY OUTSIDE PLATES, WHO MAY NOT HAVE CONSIDERED HYDROGEN EMBRITTEMENT PROBLEM.

STURDFIX®

FASTENERS & FIXINGS

Singhania International Limited

C-25, Phase-1, Focal Point, Ludhiana - 141010, Punjab, +91-161-4611418, 4606917

www.singhaniainternational.com | www.singhaniawires.com

Fasteners Price List from July 2018

BS 2470 - 12.9 Grade - Socket Head Cap Screws (Allen Bolts)

Size	1/4"	5/16"	3/8"	1/2"	5/8"
Length					
1/4"					
3/8"	220				
1/2"	220	390	610		
5/8"	245	410	660		
3/4"	260	420	622	1525	
1	315	470	710	1600	3055
1 1/4	370	530	820	1800	3160
1 1/2	425	590	932	1925	3750
1 3/4	480	680	995	2190	3750
2	550	760	1140	2385	4160
2 1/4	720	880	1265	2665	4410
2 1/2	720	982	1370	2890	4705
2 3/4	800	1282	1550	3090	5105
3	910	1282	1620	3285	4496
3 1/4	1120	1620	1830	3580	5735
3 1/2	1320	1620	1830	3890	6175
4	1820	2020	2060	4140	7130
4 1/2		3240	3102	4985	8600
5		4080	3790	5405	9410
5 1/2		4710	4280	6105	10440
6		5440	4640	6885	11470
6 1/2			10635	9200	14255
7			10635	9675	15235
7 1/2			18560	9990	18895
8			19860	11230	20535

GST @18 % Extra

are full threaded

*

Available in both
half and full
threaded

NOTE:

PLATING : ALL THE PRODUCTS, UNLESS OTHERWISE ORDERED, ARE SUPPLIED IN BLACK THERMAL FINISH WITH A COAT OF RUST PREVENTIVE OIL, NO GUARANTEE CAN BE GIVE FOR STRUDFIX PRODUCTS WHICH ARE PLATED BY USERS OR BY OUTSIDE PLATES, WHO MAY NOT HAVE CONSIDERED HYDROGEN EMBRITTLEMENT PROBLEM.

STURDIFIX®

FASTENERS & FIXINGS

Singhania International Limited

C-25, Phase-1, Focal Point, Ludhiana - 141010, Punjab, +91-161-4611418, 4606917
www.singhaniainternational.com | www.singhaniawires.com

SPRING WASHER

FLAT SECTION(Rs/Kg)

SIZE	SPRING STEEL IS3063 /DIN 127 B													SS304 (DIN 127 B)		
	EN42								MS/DIN 127 B							
	PLAIN		HARDEND & TEMPERED		HARDEND & TEMPERED BLACK		HARDEND & TEMPERED ZP		PLAIN		WZP		YZP			
M3	SI05201	224	SI05226	245			SI05401	255								378
M4	SI05202	184	SI05227	204	SI05252	214	SI05402	214	SI05302	102	SI05352	112	SI05377	114	SI05426	336
M5	SI05203	163	SI05228	184	SI05253	189	SI05403	194	SI05303	92	SI05353	102	SI05378	104	SI05427	336
M6	SI05204	143	SI05229	153	SI05254	158	SI05404	163	SI05304	77	SI05354	85	SI05379	87	SI05428	315
M8	SI05205	122	SI05230	133	SI05255	138	SI05405	143	SI05305	71	SI05355	80	SI05380	82	SI05429	294
M10	SI05206	102	SI05231	112	SI05256	117	SI05406	122	SI05306	71	SI05356	80	SI05381	82	SI05430	273
M12	SI05207	102	SI05232	112	SI05257	117	SI05407	122	SI05307	71	SI05357	80	SI05382	82	SI05431	263
M14	SI05208	102	SI05233	112	SI05258	117	SI05408	122	SI05308	66	SI05358	71	SI05383	82	SI05432	263
M16	SI05209	92	SI05234	102	SI05259	107	SI05409	112	SI05309	66	SI05359	71	SI05384	73	SI05433	252
M18	SI05210	102	SI05235	112	SI05260	117	SI05410	122	SI05310	66	SI05360	71	SI05385	73	SI05434	263
M20	SI05211	92	SI05236	102	SI05261	107	SI05411	112	SI05311	66	SI05361	71	SI05386	73	SI05435	252
M22	SI05212	102	SI05237	112	SI05262	117	SI05412	122	SI05312	66	SI05362	71	SI05387	73	SI05436	263
M24	SI05213	92	SI05238	102	SI05263	107	SI05413	112	SI05313	66	SI05363	71	SI05388	73	SI05437	252
M27	SI05214	102	SI05239	112	SI05264	117	SI05414	122	SI05314	66	SI05364	71	SI05389	73	SI05438	263
M30	SI05215	112	SI05240	122	SI05265	128	SI05415	133	SI05315	66	SI05365	71	SI05390	73	SI05439	273
M33	SI05216	122	SI05241	133	SI05266	138	SI05416	143	SI05316	71	SI05366	80	SI05391	82	SI05440	289
M36	SI05217	112	SI05242	122	SI05267	128	SI05417	133	SI05317	71	SI05367	80	SI05392	82	SI05441	289
3/16"	SI05801	166	SI05826	187	SI05851	185	SI05876	198	SI05901	94	SI05926	104	SI05951	106	SI05976	347
1/4"	SI05802	146	SI05827	156	SI05852	161	SI05877	166	SI05902	79	SI05927	87	SI05952	89	SI05977	336
5/16"	SI05803	124	SI05828	136	SI05853	141	SI05878	146	SI05903	72	SI05928	82	SI05953	84	SI05978	315
3/8"	SI05804	104	SI05829	114	SI05854	119	SI05879	124	SI05904	72	SI05929	82	SI05954	84	SI05979	315
7/16"	SI05805	104	SI05830	114	SI05855	119	SI05880	124	SI05905	72	SI05930	82	SI05955	84	SI05980	294
1/2"	SI05806	104	SI05831	114	SI05856	119	SI05881	124	SI05906	72	SI05931	82	SI05956	84	SI05981	273
9/16"	SI05807	104	SI05832	114	SI05857	119	SI05882	124	SI05907	67	SI05932	72	SI05957	75	SI05982	273
5/8"	SI05808	94	SI05833	104	SI05858	109	SI05883	114	SI05908	67	SI05933	72	SI05958	75	SI05983	273
3/4"	SI05809	94	SI05834	104	SI05859	109	SI05884	114	SI05909	67	SI05934	72	SI05959	75	SI05984	273
7/8"	SI05810	104	SI05835	114	SI05860	119	SI05885	124	SI05910	67	SI05935	72	SI05960	75	SI05985	273
1"	SI05811	94	SI05836	104	SI05861	109	SI05886	114	SI05911	67	SI05936	72	SI05961	75	SI05986	273

NOTE:

PLATING : ALL THE PRODUCTS, UNLESS OTHERWISE ORDERED, ARE SUPPLIED IN BLACK THERMAL FINISH WITH A COAT OF RUST PREVENTIVE OIL, NO GUARANTEE CAN BE GIVE FOR STURDIFIX PRODUCTS WHICH ARE PLATED BY USERS OR BY OUTSIDE PLATERS, WHO MAY NOT HAVE CONSIDERED HYDROGEN EMBRITTEMENT PROBLEM.

STURDFIX®

FASTENERS & FIXINGS

Singhania International Limited

C-25, Phase-1, Focal Point, Ludhiana - 141010, Punjab, +91-161-4611418, 4606917

www.singhaniainternational.com | www.singhaniawires.com

SPRING WASHER

SIZE		SQUARE SECTION(Rs/Kg)															
SPRING STEEL IS6753 /DIN 7980								MS/DIN7980						SS304 (DIN 7980)			
EN42				HARDEND & TEMPERED BLACK				HARDEND & TEMPERED ZP				PLAIN		WZP		YZP	
PLAIN		HARDEND & TEMPERED		HARDEND & TEMPERED BLACK		HARDEND & TEMPERED ZP		PLAIN		WZP		YZP					
M3	SI05501	230	SI05526	251	SI05551		SI05596	261	SI05601		SI05626		SI05681		SI05676	387	
M4	SI05502	188	SI05527	209	SI05552	220	SI05597	220	SI05602	105	SI05627	115	SI05682	117	SI05677	344	
M5	SI05503	167	SI05528	188	SI05553	193	SI05598	199	SI05603	94	SI05628	105	SI05683	107	SI05678	344	
M6	SI05504	146	SI05529	157	SI05554	162	SI05599	167	SI05604	78	SI05629	87	SI05684	89	SI05679	323	
M8	SI05505	125	SI05530	136	SI05555	141	SI05600	146	SI05605	73	SI05630	82	SI05685	84	SI05680	301	
M10	SI05506	105	SI05531	115	SI05556	120	SI05601	125	SI05606	73	SI05631	82	SI05686	84	SI05681	280	
M12	SI05507	105	SI05532	115	SI05557	120	SI05602	125	SI05607	73	SI05632	82	SI05687	84	SI05682	269	
M14	SI05508	105	SI05533	115	SI05558	120	SI05603	125	SI05608	68	SI05633	73	SI05688	84	SI05683	269	
M16	SI05509	94	SI05534	105	SI05559	110	SI05604	115	SI05609	68	SI05634	73	SI05689	75	SI05684	258	
M18	SI05510	105	SI05535	115	SI05560	120	SI05605	125	SI05610	68	SI05635	73	SI05690	75	SI05685	269	
M20	SI05511	94	SI05536	105	SI05561	110	SI05606	115	SI05611	68	SI05636	73	SI05691	75	SI05686	258	
M22	SI05512	105	SI05537	115	SI05562	120	SI05607	125	SI05612	68	SI05637	73	SI05692	75	SI05687	269	
M24	SI05513	94	SI05538	105	SI05563	110	SI05608	115	SI05613	68	SI05638	73	SI05693	75	SI05688	258	
M27	SI05514	105	SI05539	115	SI05564	120	SI05609	125	SI05614	68	SI05639	73	SI05694	75	SI05689	269	
M30	SI05515	115	SI05540	125	SI05565	131	SI05610	136	SI05615	68	SI05640	73	SI05695	75	SI05690	280	
M33	SI05516	125	SI05541	136	SI05566	141	SI05611	146	SI05616	73	SI05641	82	SI05696	84	SI05691	296	
M36	SI05517	115	SI05542	125	SI05567	131	SI05612	136	SI05617	73	SI05642	82	SI05697	84	SI05692	296	
3/16"	SI05701	170	SI05726	192	SI05751	190	SI05776	203	SI06001	96		107		109		355	
1/4"	SI05702	150	SI05727	160	SI05752	165	SI05777	170	SI06002	81		89		91		344	
5/16"	SI05703	127	SI05728	139	SI05753	145	SI05778	150	SI06003	74		84		86		323	
3/8"	SI05704	107	SI05729	117	SI05754	122	SI05779	127	SI06004	74		84		86		323	
7/16"	SI05705	107	SI05730	117	SI05755	122	SI05780	127	SI06005	74		84		86		301	
1/2"	SI05706	107	SI05731	117	SI05756	122	SI05781	127	SI06006	74		84		86		280	
9/16"	SI05707	107	SI05732	117	SI05757	122	SI05782	127	SI06007	69		74		77		280	
5/8"	SI05708	96	SI05733	107	SI05758	112	SI05783	117	SI06008	69		74		77		280	
3/4"	SI05709	96	SI05734	107	SI05759	112	SI05784	117	SI06009	69		74		77		280	
7/8"	SI05710	107	SI05735	117	SI05760	122	SI05785	127	SI06010	69		74		77		280	
1"	SI05711	96	SI05736	107	SI05761	112	SI05786	117	SI06011	69		74		77		280	

NOTE:

PLATING : ALL THE PRODUCTS, UNLESS OTHERWISE ORDERED, ARE SUPPLIED IN BLACK THERMAL FINISH WITH A COAT OF RUST PREVENTIVE OIL, NO GUARANTEE CAN BE GIVE FOR STURDFIX PRODUCTS WHICH ARE PLATED BY USERS OR BY OUTSIDE PLATERS, WHO MAY NOT HAVE CONSIDERED HYDROGEN EMBRITTELEMENT PROBLEM.

STURDFIX®

FASTENERS & FIXINGS

Singhania International Limited

[C-25, Phase-1, Focal Point, Ludhiana - 141010, Punjab, +91-161-4611418, 4606917](mailto:info@singhaniainternational.com)

www.singhaniainternational.com , www.sturdfix.com

DIN 7991 - 10.9 Grade - Socket Countersunk Cap Screws (Allen Bolts)

January 2018 Onwards

Size	M2	M2.5	M3	M4	M5	M6	M8	M10	M12	M16	M20	M24
Length												
3	270											
4	275	255										
5	285	260										
6	285	265	140	120								
8	295	265	145	120	155	195						
10	295	270	145	130	150	195	545					
12	305	275	155	130	150	175	340					
16	325	285	155	135	155	190	360	560				
20	340	310	195	145	170	205	395	595	1225			
25			255	170	195	230	455	680	1055			
30			265	195	230	290	495	730	1260	4060		
35			280	455	245	300	575	865	1355	4060		
40			395	490	245	405	625	990	1500	4395	11795	
45			405	490	310	625	980	1240	1735	4615	12080	
50			450	580	440	670	1025	1340	1755	4845	12370	19365
55				740	495	775	1200	1460	2190	5075	12650	18070
60				805		1000	1525	1650	2205	5395	12930	16775
65						1345	1560	1775	2745	5855	13210	17630
70						1610	1865	1905	3055	6225	13490	18485
75						1655	2565	2765	3280	6500	14050	19710
80						1705	3005	3305	3545	6990	14775	20945
90						1925	3345	5255	4105	9855	16310	22240
100						2125	3665	6535	4755	12720	17845	23950
110									6435	14475	24605	27805
120									7105	28590	28240	30145
130										39375	32470	35655
140										42605	36545	40525
150										45915	40405	45235

GST Extra in all the prices

STURDIFIX®

FASTENERS & FIXINGS

Singhania International Limited

C-25, Phase-1, Focal Point, Ludhiana - 141010, Punjab, +91-161-4611418, 4606917

www.singhaniainternational.com | www.singhaniawires.com

Concrete Nail Price List from April 2018

S.No.	Size	CODE	Weight (Kgs)	Price/KG (Rs.)
Concerete Nail (Hardend WZP)				
1	1"	SI09201	25 KG	113.00
2	1.5"	SI09202	25 KG	113.00
3	2"	SI09203	25 KG	111.00
4	2.5"	SI09204	25 KG	111.00
5	3"	SI09205	25 KG	111.00
6				
7				
8				
9				
10				

GST @ 18% extra in all the prices.